
MCC ANALYSIS PROCEDURE OF THE SLR DATA QUALITY AND STATIONS PERFORMANCE.

V.Glotov, N.Abylchatova, V.Mitrikas, M. Zinkovskiy Russian Mission Control Center

Contents

- Problem formulation
- MCC standard procedure for SLR data analysis
- Main reasons of the RB&TB differences
- Recommendations

Question from Kazimirs Lapushka to Van Husson and ACs: "Is that a Stations errors?"



Combined Range Bias Report (1 part) Compiled by: SLR Observatory Zimmerwald E-Mail: Werner.Gurtner@aiub.unibe.ch

Stati	ion 7090		CSR		NI	NIC		SAO		MCC	
			sc	rb	pr	rb	pr	rb	pr	rb	pr
7090	 2004-04-19	 06:59	 L1	 10	2	 -38	4			*	*
7090	2004-04-19		L1	-10	2	17	1	-2	6	-7	1
7090	2004-04-19	12:30	L2	2	2	-4	1	-6	2	2	2
7090	2004-04-19	16:40	L2	-3	2	-10	2	3	2	0	3
7090	2004-04-20	09:18	L1	8	2	-11	2	-7	2	-3	2
7090	2004-04-20	14:44	L2	-3	1	-26	1	-20	1	*	*
7090	2004-04-20	21:49	L1	0	3	-16	2	-14	1	7	1
7090	2004-04-21	07:56	L1	2	3	-25	2	-5	2	-3	2
7090	2004-04-21	11:29	L1	2	1	30	1	10	2	-6	2
7090	2004-04-21	12:45	L2	-3	2	-25	1	0	1	-4	2
7090	2004-04-21	16:25	L2	-4	1	-12	1	18	0	*	*
7090	2004-04-21	20:22	L1	-1	1	-17	1	-5	1	0	2
7090	2004-04-21	21:15	L2	-4	2	-14	1	1	1	-6	3

Combined Range Bias Report (2 part) Compiled by: SLR Observatory Zimmerwald E-Mail: Werner.Gurtner@aiub.unibe.ch

Station 1864	sc	CS rb	SR pr	NI rb	C pr	SA rb	o pr	MC rb	C pr
1864 2004-04-19 20:27 1864 2004-04-22 19:53			8 12	-9 -61		9	9	6 -28	5 7
Station 1893	sc	CS.	R pr	NI rb	 C pr	SA rb	.0 pr	MC rb	C pr
1893 2004-04-19 19:22 1893 2004-04-19 20:34 1893 2004-04-20 17:38 1893 2004-04-22 20:15	L1 L2	60 -40 28 -13	14 30 3 11	3 18 83 -26	40 30 4 15	23 * * 26	22 * * 10	5 18 * -4	21 4 *

MCC analysis procedure of the LAGEOSes data:

- "Bad" points rejection (automatic or manual)
- Precise orbits determination
- The measurements residuals calculation
- > The different statistics calculation (ME, RMS, ORMS etc.)
- The <u>attempts (!!!)</u> to interpret the measurement residuals as function of the Range Bias and Time Bias
- "MCC Residual Analysis Report" preparation

Comments to Residual Analysis Report


Russian Mission Control Center Residual Analysis Report


Maidanak (1864 NP)

	TTL	INC	ME	RMS	ORMS	TB	RB	PRMS	SCI
			mm	mm	mm	us	mm	mm	
1864	06	05	8	16	17	 17	22	4	0
1864	10	07	8	17	20	 18	6	5	0
1864	10	07	-28	10	32	 8	-28	7	0

From orbits
From polynomial

RB and **TB** estimation procedure





Ambiguous results for the short passes

Precise results for the long passes

Differences in the final precise orbits

```
Residuals are summarized for the following 3-day arcs: wtd rms(cm) LAG-1 LAG-2 3-DAY ARC 04/05/21 12.00 - 04/05/24 12.00 1.5 LAG-1 LAG-2 3-DAY ARC 04/05/22 12.00 - 04/05/25 12.00 1.4 LAG-1 LAG-2 3-DAY ARC 04/05/23 12.00 - 04/05/26 12.00 1.4
```

Mc Donald (7080 NP)											
		TTL	INC	ME	RMS	ORMS		TB	RB	PRMS	
SCI											
				mm	mm	mm		us	mm	mm	
7080	•••	05	04	-1	8	8		-20	-1	4	2
7080	•••	05	04	-8	7	12	•••	-14	-8	4	2
7080	•••	05	04	-17	7	21	•••	-14	-17	4	2
7080	•••	04	03	-3	5	6	•••	*	*	4	2
7080	•••	04	03	2	5	6	•••	*	*	4	2
7080	•••	04	03	-10	6	14	•••	*	*	4	2
7080		15	15	8	3	8		1	7	3	2
7080	•••	15	15	7	8	10	•••	6	-2	3	2
7080	•••	15	15	8	8	12	•••	7	-2	3	2

Main reasons of the RB&TB differences:

- Different SLR stations coordinate sets
- Differences in the "bad" points rejection procedures
- Differences in the final precise orbits
- Incorrect attempts to interpret the measurement residuals as function of RB&TB

Tracking recommendations for stations:

- Both ascending and descending branches tracking (Especially for calibration);
- Min 10-minutes session duration for Lageoses and 5-minutes for low orbiters;
- Min 6 QLNP per one pass;
- Min 20 deg elevation;
- As much session duration as possible (especially for calibration and precise TB and RB estimation).

Recommendations for Analysis Centers:

- Coordination in the main methodology questions by the SLR data analysis;
- Agreement of the stations coordinates sets;
- Coordination in the RB&TB understanding for the both (long and short) passes;
- Separation of the short and long (calibrating) passes estimation;
- Timely and quickly contacts with other Analysis Centers in the case of necessity based on the concrete ILRS solution and recommendations